



NOTES:
 ALL DETAILS RELATE TO MAINLINE ROAD ORDNANCE DATUM
 SEE PERMANENT STATION POINTS FOR NATIONAL GRID CO-ORDINATES
 SITE LAYOUT PARTLY REPRODUCED FROM ORDNANCE SURVEY MAP 3540 FERBANE CO. OFFALY - LICENSE NUMBER EN 0009499

NEW 1m WIDE FOOTPATH SPECIFICATION:
 ON 200mm THICK GRANULAR MATERIAL TO CLAUSE 804 D.O.E.
 FINISH ON 200mm THICK GRANULAR MATERIAL TO CLAUSE 804 D.O.E.
 ON APPROVED TENSAR GEOTEXTILE.
 ON 500mm THICK GRANULAR MATERIAL TO CLAUSE 803 D.O.E.
 ON APPROVED TERRAM GEOTEXTILE.
 HARDEST WINDING STONE CHIPPINGS SPECIFICATION:
 ON 200mm THICK GRANULAR MATERIAL TO CLAUSE 804 D.O.E.
 ON APPROVED TENSAR GEOTEXTILE.
 ON 500mm THICK GRANULAR MATERIAL TO CLAUSE 803 D.O.E.
 ON APPROVED TERRAM GEOTEXTILE.
 PROVIDE CAST IN SITU CONCRETE SLIPFORM KERBING 200mm X 300mm WITH SAW CUTS AT 3m CENTERS.
 PROVIDE 1:40 CROSSFALLS TO BE THEORETICAL.

NEW 6m WIDE ACCESS ROAD SPECIFICATION:
 WITH PRE-COATED CHIP (CLAUSE 450) WEARING COURSE
 ON 500mm THICK GRANULAR MATERIAL TO CLAUSE 804 D.O.E.
 ON 75mm COMPACTED THICKNESS D8M (CLAUSE 302)
 ON 200mm THICK GRANULAR MATERIAL TO CLAUSE 804 D.O.E.
 ON APPROVED TENSAR GEOTEXTILE.
 ON 500mm THICK GRANULAR MATERIAL TO CLAUSE 803 D.O.E.
 ON APPROVED TERRAM GEOTEXTILE.
 PROVIDE CAST IN SITU CONCRETE SLIPFORM KERBING 200mm X 300mm WITH SAW CUTS AT 3m CENTERS.
 PROVIDE 1:40 CROSSFALLS TO BE THEORETICAL.

ACCESS JUNCTIONS ONTO PUBLIC ROADS SHALL BE FORMED USING RADIUS OF MINIMUM 6m
 ACCESS JUNCTIONS WITHIN THE SITE SHALL BE FORMED USING RADIUS OF MINIMUM 6m
 CARPARKING SPACES 2.5m X 5m
 CARPARKING ASIDE THROUGH 6m WIDE

REV	DESCRIPTION	BY	CHK	APP	DATE

OLD BRIDGE HOUSE
 STRAND STREET
 ATHLONE
 CO. WESTMIDATH
 TEL: +353 (0)90 647 4264
 FAX: +353 (0)90 647 8422
 e-mail: athlone@wyg.com

Project: C007331
 DEVELOPMENT AT LUMCLON
 FERBANE CO. OFFALY

Drawing Title:

PROPOSED LAYOUT AT NEW
 EMERGENCY ACCESS ENTRANCE

Scale @	AT	Drawn	Date	Checked	Date	Approved	Date
1:100			JUNE 09				

Project No.	Office Type	Drawing No.	Revision
C007331	1901	S	19

